

# INDEX

TO VOLUME L (VOL. VIII, FOURTH SERIES)

OF THE

AMERICAN JOURNAL OF PHARMACY.

Achillea millefolium, use of, . . . . .	590
Acid, acetic, bibromide of, . . . . .	182
pure, . . . . .	293, 362
benzoic, in pharmacy, . . . . .	169
boric, behavior to salicylates, . . . . .	459
in Chili borates, . . . . .	576
carbolic, antidote to, . . . . .	297
distinguishing from cresylic acid, . . . . .	508
new test for, . . . . .	401
carbonic, purification of, . . . . .	344
chrysophanic, in skin diseases, . . . . .	135
elemic, . . . . .	256
formic, preparation of, . . . . .	115, 455
free, of the gastric juice, . . . . .	254
gallic, tannic and pyrogallie, method for distinguishing, . . . . .	503
hydrobromic, . . . . .	116
hydrochloric, phosphoric acid in, . . . . .	575
hydrocyanic, titration of, . . . . .	506
with alcohol, . . . . .	601
molybdic, blue solution of, as a reagent, . . . . .	493
nitric, estimation of, . . . . .	36
nitrous, estimation of, . . . . .	36, 37
oxalic, contaminated with sulphuric, . . . . .	36
persulphuric, . . . . .	258
phosphoric, action of, on calcium carbonate, . . . . .	457
phosphorous, preparation of, . . . . .	258
pyrogallie, stain of, . . . . .	296
salicylic, behavior to borates, . . . . .	459
in neuralgia, . . . . .	34
compounds of, . . . . .	395
sulphuric, boiling points of, . . . . .	473
solid, . . . . .	71
tartaric, action on calcium carbonate, . . . . .	37

Acids, organic, solubility of, . . . . .	340
Aconite alkaloids, . . . . .	504
Adulterations, . . . . .	175, 508
Agaricus atrotomentosus, . . . . .	339
Agave spec., used by the Indians, . . . . .	587
Alcohol, ethylic, in coal tar, . . . . .	296
Algarobia glandulosa, use of, by the Indians, . . . . .	540
Alkaloids of aconite, . . . . .	504
cinchona, . . . . .	299, 414, 599
distinction of, . . . . .	178
hydrastis, . . . . .	470
opium, their action, . . . . .	310
red poppy, . . . . .	456
sabadilla, . . . . .	489
veratrum, . . . . .	122
Alumina, medicated solutions of, . . . . .	572, 576
Alumni Association, Cincinnati College of Pharmacy, . . . . .	264
Massachusetts College of Pharmacy, 88, 139, 262, 316, 358	
New York College of Pharmacy, . . . . .	201, 606
Philadelphia College of Pharmacy, 39, 89, 141, 199, 557, 604	
St. Louis College of Pharmacy, . . . . .	202
Amarantus spec. used by the Indians, . . . . .	546
Amelanchier alnifolia, service berry, . . . . .	543
American Pharmaceutical Association, . . . . .	356, 358, 403, 459, 509, 556
26th annual meeting of, . . . . .	594
Ammonium carbazotate, . . . . .	135
salicylate, . . . . .	114
Amoreuxia schiedeana, edible root of, . . . . .	545
Amyl nitrite, preparation and properties of, . . . . .	499
Anemopsis californica, yerba mansa, . . . . .	589
Angostura, false, and brucia, . . . . .	41, 505
Antidote to phosphorus, . . . . .	355
Anti-ferments, test for, . . . . .	62
Aphyllon spec., used by the Indians, . . . . .	547
Apios tuberosa, use of tubers, . . . . .	544
Apocynum cannabinum, use of, . . . . .	588
Apomorphia, . . . . .	259
as an expectorant, . . . . .	34
Apothecary's mistake, . . . . .	406
naval, . . . . .	268
Apparatus, distillatory, . . . . .	15
for coating pills with gelatin, . . . . .	88
small ice, . . . . .	382
Aqua aurantii florum and nitric acid, . . . . .	508, 582
Archer, B, benzoic acid in pharmacy, . . . . .	169
Archibald, H. C., impure magnesia, . . . . .	161
Arctostaphylos tomentosa, manzanita, . . . . .	543
Arsenical capping paper, . . . . .	71
Arsenic, separation of, . . . . .	341
Artemisia spec., used by the Indians, . . . . .	590
Artichokes, use of, . . . . .	174
Arundo phragmitis, use of, . . . . .	548
Aspidium marginale, . . . . .	290, 292
Aspilia latifolia, . . . . .	257
Atriplex spec., used by the Indians, . . . . .	546

Atropia and datura,	183
Audibertia polystachya, white sage,	546
Augusta Pharmaceutical Association,	361
Austrian Apothecaries' Association,	608
Balsam tolu, spurious,	256
Balsams, recognition of,	130
Balsamum antarthriticum indicum,	475
Barberry, use of,	137
Barosma ericifolia,	30
Batiator-root, substitute for ipecacuanha,	478
Bay rum, preparation of,	87
Baycuru, a Brazilian astringent,	506
Bedford Springs,	57
Benzoin odoriferum, constituents of,	597
Berberis nervosa,	373
of the Pacific coast,	374, 414, 589
Berlin Apothecaries' Society,	608
Bernbeck, C., ferrum albuminatum solutum,	126
Betz, H., on oil of hempseed,	26
oil of wild cherry kernels,	111
sapo viridis,	65, 461
Biddle, C. J., glycerin in pharmacy,	19
Bird, a useful,	173
Bismuth, subnitrate, lead in,	477
preparation of,	475
Bitter almonds, constituents of,	71
Bixin,	383
Bolm, Wm. C., syrups vs. cold percolation,	445
Boonah nuts, origin and use of,	29
Borates, Chili, composition of,	576
Boston Druggists' Association,	87
Bothamley, C. H., and R. Reynolds, orange flower water,	582
Bougies, soluble medicated,	108
Brahea armata, use of,	543
Brett, James E., quinia pills,	162
British Pharmaceutical Conference,	405
Bromide of iodine, nature of,	137
Bromine, determination of iodine and chlorine in,	575
Brown, J. J., another pill excipient,	289
Brownen, Geo., emetia from deposit in vinum ipecacuanhæ,	579
Brucia and false angostura bark,	41, 505
separation from strychnia,	405
Butter, detection of adulterations in,	257
Caffeina, dose of,	297
Calomel, alteration of,	386
in corrosive sublimate,	71
Calophyllum inophyllum, use of,	28
Camassia esculenta, wild hyacinth,	545
Camphor, dispensing of monobromated,	182
and tobacco,	402
Cantharidin and acid derivative,	454
Caoutchoue, collection of,	549
Capsules, elastic gelatin,	295

Carum gairdneri, use of, . . . . .	544
Cassia occidentalis, . . . . .	257
tora, fantupa seed, . . . . .	30
Catechin, . . . . .	342
Caulanthus crassicaulis, use of, . . . . .	547
Ceanothus americanus, use of, . . . . .	86
Cerasus spec., used by the Indians, . . . . .	542
Ceratum resinæ comp., . . . . .	597
Chamælerin and chamæliretin, . . . . .	250, 465
Chambersburg hydrant water, . . . . .	516
Charcoal, animal, decolorizing power of, . . . . .	458
<i>Cheatam, T. A.</i> , quinia pills, . . . . .	289
Chinese pharmacy in the United States, . . . . .	593
Chittam bark, use of, . . . . .	137
Chloral hydrate, alteration of, . . . . .	39, 313
impurities in, . . . . .	86
for removing warts, . . . . .	312
reactions of, . . . . .	454
researches on, . . . . .	136
Chloriastos, name for chloride of lead, . . . . .	43
Chloroform, action of alcoholic potassa on, . . . . .	455
purification of, . . . . .	450
Chlorogalum pomeridianum, use of, . . . . .	589
Chrome blue, . . . . .	402
Cimicifuga racemosa, analysis of, . . . . .	468
Cinchona alkaloids, . . . . .	178, 299, 414, 599
assay of, . . . . .	507
fast-growing variety of, . . . . .	345
Cincinnati College of Pharmacy, . . . . .	89, 264
Claytonia lanceolata, use of, . . . . .	545
Clove pink, sachet powder, . . . . .	600
Cnicus spec., used by the Indians, . . . . .	544
Codeia, test for, . . . . .	298
Colors, analysis of, . . . . .	145
for candies, . . . . .	597
<i>Collier, Henry</i> , kinate of quinia for hypodermic use, . . . . .	487
Comandra pallida, use of, . . . . .	544
Coniferin, . . . . .	192
Copaiba, miscible, . . . . .	506, 526
Copper, guaiacum as a test for, . . . . .	550
Cotton fibre in linen, to detect, . . . . .	260
salicylic and benzoic, . . . . .	576
Cotyledon spec., used by the Indians, . . . . .	547
<i>Cotzhausen, Louis von</i> , emulsiones oleosæ, . . . . .	284
gleanings from German journals, . . . . .	295, 338, 381, 450, 473, 518, 575
Cowania mexicana, use of, . . . . .	589
<i>Craig, Thos. C.</i> , Chambersburg hydrant water, . . . . .	516
Creasote, administration of, . . . . .	259
<i>Cressler, Chas. H.</i> , aspidium marginale, . . . . .	290
Cubebin, . . . . .	257
Cucurbita perennis, use of, . . . . .	590
Curarina, . . . . .	259, 457
Curare, . . . . .	341

Dalea spec., used by the Indians, . . . . .	592
Damiana, properties of, . . . . .	597
Datura meteloides, use of, . . . . .	589
Davidson, E. J., elixir of nux vomica and aromatic tincture of angostura, . . . . .	22
Davis, Isaac, medicated syrups, . . . . .	327
Davis, Theodore G., tinctures of U. S. P., . . . . .	107
Debrunner, H. G., Bedford Springs, . . . . .	57
medicated solutions of alumina, . . . . .	572
paints, colors and their analysis, . . . . .	145
De Lanessan, botanical character of Duboisia myoporoides, . . . . .	387
Densimeters, Fleischer's, . . . . .	473
Deprez, Wm. H., extractum cannabis indicæ, . . . . .	518
DePuy, C. E., oil of sweet almonds, . . . . .	161
Destruction of a Turkish industry, . . . . .	313
De Vrij, J. E., sulphate of quinia, . . . . .	304
Dialysis, . . . . .	102
Dialyzer, new, convenient and cheap, . . . . .	381
Dilg, Ph. H., active constituents of ergot, . . . . .	335
active principles and characters of plants (translation), . . . . .	530
emulsions, . . . . .	326
Diploma selling, . . . . .	364
Dispensing dangerous compounds, . . . . .	67
Dott, D. B., nitrite of amyl, . . . . .	499
Drew, Chas. W., phenol-phthalein, an indicator in titrations, . . . . .	513
sodium salicylate, . . . . .	569
Drosera rotundifolia, . . . . .	384, 536
Drug press, an efficient, . . . . .	417
Drugs, introduction of, under fictitious names, . . . . .	601
notes on American, . . . . .	53
casual, . . . . .	27
new indigenous, . . . . .	39
Duboisia myoporoides, . . . . .	387
Duboisina, . . . . .	405
Elaterin, test for, . . . . .	134
Elektron, . . . . .	176
Elixir of liquorice root, . . . . .	598
nux vomica, . . . . .	22
Emery, . . . . .	177
Emetia, recovery of, . . . . .	508, 579
Emplastrum picis liquidæ, . . . . .	107
Empleurum serrulatum, . . . . .	30
Emulsiones oleosæ, . . . . .	284, 326
of cod liver oil, formula, . . . . .	288
Enchantment, . . . . .	176
Ephedra antisiphilitica, teamster's tea, . . . . .	591
Ergot, active principles of, . . . . .	335
removal of fixed oil from, . . . . .	38
Ergotin, preparation of, . . . . .	385
Eriodyctium glutinosum, yerba santa, . . . . .	590
Eriogonum inflatum, use of, . . . . .	548
Eritrichium micranthum, use of, . . . . .	592
Erythræa venusta in ague, . . . . .	591
Erythrophloeum guineense, . . . . .	257
Essence of ginger, soluble, . . . . .	494, 496

Ethyl, nitrite of,	40
Eucalyptus in Algeria and Italy,	312
Euonymus atropurpureus, analysis of bark,	563
Euphorbia lathyris, seeds of,	339
polycarpa, use of,	590
Euphorbone, composition,	552
Evernia vulpina, use of,	592
Extracts, fluid, by repercolation,	209
fluid, notes on,	329
Extractum cannabis indicæ, assay of,	518
cimicifugæ fluidum,	1, 434
cocæ fluidum,	596
colchici seminis fluid.,	597
ergotæ fluid., for hypodermic injection	385, 581
ferri pomatum and uvicum,	177
glycyrrhizæ fluid.,	598
jalapæ,	371
lactucarii fluidum,	599
pimentæ as a counter-irritant,	312
pruni virginianæ fluidum,	597
Farwell, Chas. D., extracts and resins of jalap,	371
Fat, Heron's,	173
Ferrum, see iron,	
Filtration rapid,	105
Fish catching by poisoning,	174
Fletcher, F. W., a new double iodide,	577
Flückiger, Prof., crystallizable resin of gurjun balsam,	305
saponin of sarsaparilla,	79
quiniretin,	348
Forest culture, necessity of,	143
Frangipanni sachet powder,	600
Frankenia grandifolia,	601
Gaillard, E., acetic acid pure,	293, 362
formic acid,	115
Galls, tamarisk,	27
Garcinia indica,	256
Garrya flavescens, use of	592
Gases, liquefaction of,	185
Geissospermia,	184
George, Charles T., on an efficient drug press,	417
Georgia Pharmaceutical Association,	263
German Apothecaries Society,	558
Gerrard, A. W., phosphorus in pill form,	584
Gibbons, W., dialyzed iron as an antidote for arsenious acid,	399
Giraud, M., origin of tragacanth,	127
Glacialin,	340
Glucose, tests for,	474
Glycerin, affinity for water,	597
in pharmacy,	19
into glucose, transformation of,	183
new ether, of,	458



Glycerin, new tests for,	483
with bicarbonate of sodium and borax,	298
volatility of,	277
Glycyrrhiza lepidota, use of,	591
Gnoscopina,	491
Godeffroy Richard, distinction of cinchona alkaloids,	178
Granatina, alkaloid of pomegranate bark,	477
Grasses used by the Indians,	546
Great Britain Pharmaceutical Society,	40, 202, 265
Greene, Francis V., glucoside chamælerin,	250
additional notes on chamælerin and its decomposition pro-	
duct, chamæliretin,	465
Greenish, Thomas, microscope in materia medica,	522
Groves, T. C., miscible copaiba,	526
Gum mesquite,	480, 540
resins scheme for recognition of,	130
Hair color, change of,	177
Hair, falling out of,	176, 356
Halostachys occidentalis, use of,	546
Helianthus epec. used by the Indians,	545
Heliotrope, sachet powder,	600
Hemizonia fasciculata, tar weed,	547
Hendricks, Elwood G., dangerous hydrargyrum cum creta,	325
Herlandt, A., relation of active principles and characters of plants,	530
Hesperocallis undulata, use of,	544
Hesse, O., cinchona alkaloids,	299
Hirschsohn, Edward, recognition of resins, gum resins and balsams,	130
Holmes, E. M., notes on casual drugs,	27
Homes of pharmaceutical colleges,	318
Honey, used by the Indians,	548
Hops, tannin and bitter principle of,	552
Hospital stewards of the U. S. A.,	142, 307
Howard, J. E., fast growing variety of cinchona,	345
Hungarian Apothecaries' Society,	608
Hunstock, R. H. B. cold process for syrup,	443
Husemann, Prof., Java rhubarb,	31
Hydrargyrum cum creta, dangerous,	325
Hydrastis canadensis, analysis of,	470
Indigo carmine, preparation of,	258
Industries, two new,	177
Infusum digitalis, experiments with,	422
Ink that cannot be erased,	136
Iodide of starch,	254
Iodoform, solution of,	579
Infusum colombo, preservation of,	555
Ireland, Pharmaceutical Society of,	361
Iron albuminate solution,	126
dry,	298
articles, to bronze,	136
catalytic,	97
dialyzed,	97

Iron, dialyzed, analysis of, . . . . .	60
antidote for arsenic, . . . . .	23, 399
specific gravity and strength of, . . . . .	134
peroxychloride of, . . . . .	97
preparations, volumetric estimation of, . . . . .	505
reduced, . . . . .	89
by hydrogen, adulteration of, . . . . .	174
saccharate, soluble, . . . . .	181
Jaborandi, . . . . .	342
Jaundice, . . . . .	176
Jockey Club sachet powder, . . . . .	600
Juglone or nucin, . . . . .	455
Juniperus spec., used by the Indians, . . . . .	539
Karlsbad sprudel salt, analysis of, . . . . .	474
Kennedy, G. W., poisoning by chlorate of potash, . . . . .	112
tincture of cantharides, . . . . .	64
unguentum aquæ rosæ, . . . . .	573
Kentucky Pharmaceutical Association, . . . . .	404
Keyworth, G. A., solutions of iodoform and iodoformed lint, . . . . .	579
Kingzett, C. T., notes on tannins, . . . . .	392
Klie, H. Chas., pilulæ catharticæ compositæ, ingredients, &c., . . . . .	162
Landerer, X., mineral springs of Turkey, . . . . .	352
various notes, . . . . .	173
Lard, detection of adulterations in, . . . . .	259
Larrea mexicana, use of, . . . . .	592
Law, a poison act, . . . . .	363
Lead acetate, in large doses, . . . . .	312
chloride, name for, . . . . .	43
oxide, new, . . . . .	341
poisoning by, . . . . .	403
Ledum latifolium, . . . . .	54
Ledermann, C., distinction of cinchona alkaloids, . . . . .	178
Legislation, pharmaceutical, in Pennsylvania, . . . . .	92, 319, 362
District of Columbia, . . . . .	413
Lepidium spec., used by the Indians, . . . . .	546
Lerchen, Herm., hydrastis canadensis, . . . . .	470
Ligusticum apiifolium, use of, . . . . .	589
Lindo, David, morphia reactions, . . . . .	490
test for santonin, . . . . .	84
Lindo's test, some reactions with, . . . . .	551
Linen, detection of cotton fibre in, . . . . .	260
undurability of, . . . . .	401
Lint, iodoformed, . . . . .	579
Liquor aluminæ, . . . . .	572, 576
ferri, . . . . .	97
potassæ, preparation of, . . . . .	432
Lithia salicylate, use of, . . . . .	38
Lithospermum longiflorum, use of, . . . . .	592
Lloyd, J. U., fluid extract of cimicifuga, . . . . .	1, 434



Lobelia inflata, proximate principles of, . . . . .	254
Loomoonderfall, from Zanzibar, . . . . .	30
Lord, Nat. W., volatility of glycerin, . . . . .	377
Louisville College of Pharmacy, . . . . .	317
Lowe, A. J. G., and A. Senier, new test for glycerin, . . . . .	483
Lycium spec., used by the Indians, . . . . .	543
Lycopodium, falsification of, . . . . .	477
Lygodesmia spinosa, use of, . . . . .	591
Madaria elegans, use of, . . . . .	548
Magnesia, impure, . . . . .	161
lime in, . . . . .	296
Magnesium carbonate, purity of, . . . . .	567
Maine Pharmaceutical Association, . . . . .	460
Maisch, J. M., aspidium marginale, . . . . .	292
berberis of the Pacific coast, . . . . .	374
gleanings from foreign journals, . . . . .	68, 181, 254, 340, 384, 475
notes on a few American drugs, . . . . .	53
useful species of viburnum, . . . . .	49
Maschke, O., molybdic acid as a reagent, . . . . .	493
Massachusetts' College of Pharmacy, . . . . .	200, 316
Maté or Paraguay tea, . . . . .	273
Mattison, R. V., Chinese pharmacy in the U. S., . . . . .	593
dialysis, . . . . .	102
dialyzed iron as an antidote for arsenic, . . . . .	23
a comparative test of anti-ferments, . . . . .	62
new excipient for pills, . . . . .	515
rapid filtration, . . . . .	105
Meconoiosin, . . . . .	391
Medicago sativa, use of, . . . . .	547
Mercury, white precipitate and iodine with alcohol, . . . . .	457
Mesembryanthemum acinaciforme, use of, . . . . .	543
Metric system, introduction of, . . . . .	364
Micromeria Douglasii, yerba buena, . . . . .	590
Microscope, use of in pharmacy, . . . . .	420, 522
Milk, condensed, . . . . .	296
fat and water in, . . . . .	382
souring of during thunderstorms, . . . . .	35
sugar, lactic fermentation of, . . . . .	343
Milla capitata, use of, . . . . .	544
Millefleurs, sachet powder, . . . . .	600
Miller, D. P., tobacco culture in Virginia, . . . . .	426
Mineral springs of Turkey, . . . . .	352
Minim pipette, graduated, . . . . .	314
Mitchell, C. L., soluble medicated bougies, . . . . .	108
Morphia, detection of small quantities of, . . . . .	70
extraction of, . . . . .	339
reactions, . . . . .	490
Morrison, Chas., a false pareira brava, . . . . .	430
Murray, F. Marion, emplastrum picis liquidæ, . . . . .	107
official or officinal, . . . . .	449, 559

National College of Pharmacy at Washington,	263
<i>Neppach, Peter F.</i> , <i>Berberis nervosa</i> ,	373
New Jersey Pharmaceutical Society,	316
New York College of Pharmacy,	140, 200, 460
<i>Nicklès, Adr.</i> , quinia pills,	289
<i>Nicotiana spec.</i> , used by the Indians,	589
Nipples, sore, application for,	259
Nitrogen iodide, safe method of preparing,	457
Nucin, analysis of,	455
 Obituary— <i>Becquerel, Antoine C.</i> ,	144
<i>Bidwell, Marshall S.</i> ,	44
<i>Boudet, Felix H.</i> ,	368
<i>Cap, Paul A.</i> ,	144
<i>Daggett, Alfr., Jr.</i> ,	510
<i>Folger, Wm. S.</i> ,	510
<i>Henchman, Daniel</i> ,	272
<i>Henry, Joseph</i> ,	320
<i>Malaguti, J. M.</i> ,	416
<i>Nicklès, Napoleon</i> ,	144
<i>Regnault, Victor H.</i> ,	144
<i>Ruhmkorff, Henry D.</i> ,	144
<i>Taylor, James A.</i> ,	96
<i>Ocimum viride</i> ,	257
Official or officinal,	448, 559
Oil, almonds, sweet,	161
benne,	39
croton, the volatile acids of,	35, 71
hempseed,	26
olive, copper in,	71
<i>pini sylvestris foliorum</i> ,	42
rose geranium,	260
tansy, composition of,	254
thyme, commercial,	255
<i>thymus serpyllum</i> ,	452
turpentine,	68
Russian,	42
valerian, color reactions of,	344
wild cherry kernels,	111
Oils, fixed, use of,	138
volatile, adulterations of,	451, 503
relations of compounds in,	338
Olives,	177
Opium, alkaloids of, their action,	310
large consumption of,	549
morphimetric examination of,	184
Oranges, Florida,	87
<i>Oreodaphne californica</i> , use of,	591
Orobanchè in Greece,	175
<i>Orthocarpus luteus</i> ,	592
<i>Oxytropis Lamberti</i> , constituents of,	564

<i>Pæonia Brownii</i> , use of, . . . . .	591
<i>Painter, Emlen</i> , device for moulding suppositories, . . . . .	379
Paints, analysis of, . . . . .	145
<i>Palmer, Edward</i> , plants used by the Indians of the United States, . . . . .	539, 586
Pancreatic liquid, . . . . .	386
Pancreatin, . . . . .	343
<i>Pao pareira</i> , . . . . .	184
<i>Papaver rhœas</i> , alkaloids of, . . . . .	456
<i>Pareira brava</i> , false, analysis of, . . . . .	430
Paris Society of Pharmacy, . . . . .	89, 204, 267, 317, 361, 405
Patent-leather varnish, . . . . .	402
<i>Paul, B. H.</i> , notes of tannins, . . . . .	392
<i>Pelletierina</i> , . . . . .	389
<i>Pennypacker, Nathan</i> , potassium, sodium and ammonium salicylates, . . . . .	114
Pennsylvania Pharmaceutical Association, . . . . .	140, 317, 359
<i>Perezia arizonica</i> , uses of, . . . . .	591
Pharmaceutical Examining Board, report of, . . . . .	319
Pharmacists, improved education of, . . . . .	461
Pharmacopœia, Italian, . . . . .	92
preliminary revision of, . . . . .	91
Phenol-phthalein, an indicator in titrations, . . . . .	513
Philadelphia College of Pharmacy, . . . . .	138, 314, 404, 461, 557, 604
catalogue of class of 1877-78, . . . . .	44
examination, graduates, commencement, . . . . .	193
junior examination, . . . . .	138
minutes of meetings, . . . . .	85, 189, 357, 553, 604
pharmaceutical meetings, . . . . .	38, 85, 136, 192, 260, 313, 554, 605
Phloroglucin, . . . . .	382
Phosphorus, antidote to, . . . . .	355
found in a corpse, . . . . .	340
in pill form, . . . . .	584
<i>Photinia arbutifolia</i> , use of, . . . . .	544
<i>Phrynosoma cornuta</i> , horned toad, . . . . .	606
Physicians as dispensers, . . . . .	42
homœopathic, in Germany, . . . . .	402
Pills and pill coatings, . . . . .	73
compound cathartic, ingredients and preparation of, . . . . .	162
coating with gelatin, . . . . .	88, 162
excipient, another, . . . . .	289, 515
observations on, . . . . .	555
phosphorus, . . . . .	584
quinia, . . . . .	162, 289
sugar-coated, short weight in, . . . . .	23
<i>Pilocarpina</i> , hydrochlorate of, . . . . .	382
<i>Pinus spec.</i> , used by the Indians, . . . . .	540
<i>Pistacia terebinthus</i> , . . . . .	175
Pitch, . . . . .	174
Pitcherine, . . . . .	355
Pittsburgh College of Pharmacy, . . . . .	461
<i>Pituria</i> from a New Zealand drug, . . . . .	508
Plants, impressions of, . . . . .	260
relation of active principles and characters of, . . . . .	530
used by the Indians of the United States, . . . . .	539, 586
Plasters, perforating, device for, . . . . .	171

Plastilina,	355
Plating iron with platinum,	355
Polymnia uvedalia, uses of,	453
Polyporus officinalis, use of,	592
Poisons, organic, detection of,	576
Pomade, Cremer's,	193
Porphyra vulgaris, use of,	547
Portulaca oleracea,	546
Postans, A. W., improved preparation of ergot,	581
Potassium bichromate,	356
bitartrate, estimation of calcium tartrate in,	550
chlorate, poisoning by,	112
iodide, impurities in,	405
salicylate,	114
Power, Fr. B., resin of podophyllum,	369
Powers, Thos. H., resolutions on death of,	602, 605
Prall, Delbert E., infusum digitalis,	422
Prescott, A. B., laboratory notes,	561
Prescription blanks and the percentage business,	143
clamps,	66
Principle, emulsifying of yolk of egg,	138
Pritchardia filamentosa, used by the Indians,	543
Procter, Wm., Jr. Co., vinum digestivum,	472
Proctor, B. S., soluble essence of ginger,	496
Prosopis juliflora,	540
Psoralea spec., used by the Indians,	545
Pterocaulon pycnostachyum,	53
Puff, A. P., and C. R. A. Wright, sabadilla alkaloids,	489
Pulvis ipecuanhæ et opii, valuation of,	561
Pycnocomma macrophylla, boomah nuts,	29
Quercus spec., used by the Indians,	541
Quinia and bismuth iodide,	578
curious synonym for,	143
fraudulent,	70
hydrobromate,	259
in commerce and in pharmacy,	606
kinate for hypodermic injection,	487
substitutes for,	174
sulphovinate of,	343
tannate, tasteless,	259
test for impurities in,	297
Quinidia from the quinoidin of commerce,	69
sulphate of,	304
Quiniretin,	348
Quinoidin as a febrifuge,	549
Rain tree,	313
Reducing-agents, actions of, on the product obtained from brucia,	383
Remington, Jos. P., device for perforating plasters,	171
on a distillatory apparatus,	15
Resin, crystallizable, of. gurjun balsam,	305
distillation of,	256

Resin, jalap,	371
podophyllum,	369
color of,	41, 599
scammony, preparation of,	181
extracting,	69
scheme for recognition of,	130
Reviews—Adulteration of food,	206
Beasley, H., Druggist's receipt book,	560
Bentley and Trimen, Medicinal plants,	95, 207, 366, 415, 511
Bibliotheca medica,	511
Classen, A., Elementary quantitative analysis,	510
Deutsch-amerikanische Gewerbe- und Industrie-Zeitung,	271
DeVrij, J. E., Kinologische Studien,	410
Dragendorff, Beiträge zur Pomologie,	271
Jahresbericht der Pharmacognosie, Pharmacie und	
Toxicologie,	205
Untersuchungen,	464, 512
Fothergill, J. M., Antagonism of therapeutic agents,	511
Gerrish, Fr. H., Prescription writing,	368
Gmelin-Kraut's Handbuch der Chemie,	207
Guide to chemical testing,	95
Hart, Edward, Volumetric analysis,	206
Mays, Thos. J., Therapeutic forces,	463
Méhu, C., Composition des Cloportes,	271
Nelson, J. H., Druggist's handbook,	464
Philadelphia chemist and druggist,	94
Proceedings Connecticut Pharmaceutical Association,	367
American Pharmaceutical Association,	93
Western Wholesale Drug Association,	270
Report of commissioners of pharmacy of Maine,	208
the alumni associations,	270, 367
State board of pharmacy,	367
Sadler, Samuel P., Chemical experimentation,	269
Schaer, Ed., Botanischer Congress,	271
Stewart, M., Pocket therapeutics and dose-book,	511
Tyson, J., Examination of urine,	560
Watts. Fowne's manual of chemistry,	414
Willgerott, E., Die allgemeinsten chemischen Formeln,	366
Wittstein, Nahrungs- und Genussmittel-Lehre,	207
Woodworth, J. M., Report of Supervising Surgeon-General,	463
Year-Book of Pharmacy,	93
Reynolds, R. and C. H. Bothamley, reaction of orange-flower water,	582
Rhamnus infectorius, glucoside of,	383
purshiana,	601
Rheum officinale grown in England,	41
Rhubarb, Java,	31
new,	385
Rhus spec., used by the Indians,	542, 543
Ribes Menziesii, fruit eatable,	543
Rice,	401
Chinese paper,	340
Robbins, Alonzo, maté, or Paraguay tea,	273
notes on fluid extracts,	329
Rosenthal, Ed., liquor potassæ,	432
Rumex hymenosepalus, use of,	591

Sabadilla alkaloids,	489
Sachet powders, formulas for,	600
Sagittaria simplex, use of,	544
Sago, colored, artificial,	340
Salix spec., used by the Indians,	588
Salt, epsom, versus strawberries,	321
Salvia columbaria, use of,	547
Sambucus spec, used by the Indians,	543
Sanguinaire, or thé arabe,	70
Santonin, adulterated with boracic acid,	37
determination of,	296
fusing point of,	259
test for,	84
Saponin of sarsaparilla,	79
Sapo viridis, preparation of,	65, 397, 461
Sapucaja nuts,	475
Sarcobatus vermiculatus, grease wood,	546
Scheffer, Emil, liquor ferri, peroxychloride of iron, etc.,	97
Procter's vinum digestivum,	471
Schelenz, H. E., prescription clamps,	66
Scirpus validus, use of,	547
Scoparia dulcis,	257
Senega, inferior,	523
Senier, A., and A. J. G. Lowe, new test for glycerin,	483
Shepherdia argentea, buffalo berry,	543
Silver nitrate, solubility of,	474
Simmondsia californica, use of,	543
Smith, T. and H., gnoscopina,	491
Meconioisin,	391
Sodium salicylate,	114, 297, 458, 569
in neuralgia,	34
Sophora speciosa, effects of,	39
Sophoria, tests and effects of,	33
Spartium junceum,	176
Spiritus formicarum,	137
Sporobolus spec, used by the Indians,	546
Springs, mineral,	177
Squibb, Edward R., fluid extracts by repercolation,	209
hydrobromic acid,	116
Starch gloss,	35
State pharmaceutical societies,	142
Statice brasiliensis, used as an astringent,	506
Storax, liquid, constituents of,	455
Storer, F. H., epsom salt versus strawberries,	321
Stramonium, prolificness of,	143
Strychnia and brucia, separation of,	405
nicotia, antagonism between,	37
Sueda spec, used by the Indians,	591
Sugar, solubility of, in water,	255
Sundews and their uses,	536
Suppositories, containing, extracts,	181
device for moulding,	379
Swiss Apothecaries' Association,	558
Symes, Chas., pills and pill coating,	73
Synonyms,	204



Syrupus amygdalæ, fraudulent,	479
aurantii corticis,	444, 446
ferri iodidi,	445
ferri phosphatis cum quinia et strychnia,	72
glycyrrhizæ,	478, 598
ipecacuanhæ, kramerizæ,	328, 478
lactucarii,	599
pruni virginianæ,	20, 327
rhei, rhei arom., sarsapar. comp.,	328
scillæ,	327
comp., senegæ,	328, 444
Syrups cold process for,	443, 445
medicated by percolation,	327
Tagetes patula, coloring matter,	35
Tannins, notes on,	392
Tanret, M., pelletierina,	389
Tayuya as a remedy,	354
Terra sigillata,	175
Test, Lindo's, some reactions with,	551
Thapsus garganica,	384
Thresh, J. C., soluble essence of ginger,	494
Thymol and its pharmacy,	255
uses of,	311, 548
Tinctura angusturæ aromatica,	22
cantharides,	64
ferri protochloridi,	192
lactucarii,	599
myrrhæ with glycerin,	20
Tinctures, alcohol strength of,	107
from fresh plants,	599
Tobacco cultivation in Virginia,	42
statistics,	425
Tobien, Alex., veratrum alkaloids,	122
Tragacanth, origin of,	127
Trimble, Frank H., Cimicifuga racemosa,	468
Trimble, Henry, some analyses of dialyzed iron,	60
Tully's Powder,	356
Turkey's mineral springs,	352
Turpentine, Strassburg, origin and character of,	479
Typha latifolia, use of,	547
Unguentum aquæ rosæ and ung. rosæ,	573
thymoli,	255
Urtica holosericea, use of,	589
Vaccinium macrocarpum, analysis of berries,	566
Valeriana edulis, use of,	545
Vanillin, artificial,	192, 256
Veratria, composition and properties of,	456
Veratrum alkaloids,	122
sabadilla, alkaloids of,	489

Vermont Pharmaceutical Association,	556
Viburnum, useful species of,	49
Vigier, P., the sundews and their uses,	536
Vinum digestivum,	471, 472
ergotæ with glycerin,	21
creasoti,	345
ipecacuanhæ, emetia in deposit of,	579
Vitis spec., used by the Indians,	544
Water as oxidizing and reducing agent,	35
Wells, E. M., short weight in sugar-coated pills,	23
Western Druggists' Mutual Benefit Association,	205
Wild flowers, sachet powder,	600
Wilder, Hans M., the microscope,	420
Wood, H. C., alkaloid sophoria,	283
Wright, C. R. A., and A. P. Puff, sabadilla alkaloids,	489
Yucca spec., used by the Indians,	586
Zamia integrifolia, coontie root,	544
Zinc, caustic of chloride of,	345
salicylate of,	182

